



# OPTICAL 30

Strong acidic phosphate free liquid detergent for hydrophilic finish. Allows surface neutralization and preparation prior to HC coating or AR deposition, in ultrasonic processes.



## OPHTHALMIC OPTICS RANGE

FUNCTION	APPLICATION/POLLUTION
Ultrasonic finishing process	Surface neutralization and preparation

### COMPATIBILITY

- Organic glass
- Mineral glass\*
- Polycarbonate

\* Please contact NGL before implementing a process.

### COMPONENTS

- Organic acid, surfactants
- No phosphates
- No CMR compounds, REACH compliant

### PHYSICOCHEMICAL DATA

- pH concentrated: 0.5
- Density: 1.22
- Surface tension: 32.0 mN/m



### INSTRUCTIONS FOR USE\*

- Concentration: 3 to 5%
- Temperature: 50 to 55°C (122°F to 131°F)
- Time: 2 to 3 minutes

\* Dependent on the quality of water and the nature and quantity of contaminants.

### PROCESS EXAMPLE

- Surface neutralization prior to HC coating



23/03/23

### STORAGE CONDITIONS

- Keep the container hermetically sealed between 5°C and 40°C (41°F and 104°F) in a dry place.
- Always keep in packaging made from the same material as the original packaging (HDPE).



If you have any questions, please contact our Application Centre on: +41 22 365 46 66

