



GALVEX 17.30 SUP

Multi-purpose degreaser for ultrasonic processes, for complete removal of polishing compounds.

COMPATIBILITY

- All metals except aluminium

INGREDIENTS

- Surfactants, solubilising agents, chelating agents
- Phosphate-free product
- No VOC

PHYSICAL AND CHEMICAL DATA

- pH concentrated: 10.80
- pH (1%): 10.10
- Density: 1.025
- Surface tension: 30.6 mN/m


INSTRUCTIONS FOR USE

Optimum use conditions may be affected by the quality of the water used in the baths, as well as the type and quantity of contaminants.


- Concentration: 1 to 5%
- Temperature: 50 to 70°C (122 to 158°F)
- Time: 3 to 5 minutes

PROCESS EXAMPLES

- Cleaning of plates and other watch components made of brass and nickel silver alloy
- Pollution: removal of oils and polishing compounds



- Cleaning of sensitive steel parts (20 AP)
- Pollution : removal of oils and polishing compounds



BENEFITS

- Emulsifies and dissolves grease
- Disperses contaminants
- Removes grease from items without leaving a residue on the surface
- Leaves a colourless film of surfactants on the surface that provides a temporary protection against corrosion
- Hydrophobic finish
- Gives extra shine to copper alloys

04/05/21



If you have any questions, please contact our Application Centre on: +41 22 365 46 66

NGL CLEANING TECHNOLOGY SA - ECOLOGICAL CLEANING SOLUTIONS

Chemin de la Vuarpillière 7 // CH-1260 NYON // SWITZERLAND
+41 22 365 46 66 // contact@n-gl-group.com // www.n-gl-group.com

