



GALVEX 20.01

Universal degreaser, used in ultrasonic processes, for the removal of polishing compounds and light oils.

COMPATIBILITY:

- Stainless steel
- Titanium
- Copper alloys
- Plastic
- Aluminium
- Precious metals
- Silver
- Ceramic

INGREDIENTS:

- Surfactants, solvating agents
- NTA- and phosphate- and VOC- and DEA- free product

PHYSICAL AND CHEMICAL DATA:

- pH concentrated: 8.9
- pH (1%): 8.7
- Density: 1.036
- Surface tension of concentrated chemical: 27.6 mN/m

INSTRUCTIONS FOR USE:

The optimum conditions for use are affected by the quality of the water used in the baths and the type and quantity of contaminants.

- Concentration: 1 to 5%
- Temperature: 50 to 70°C (122 à 158°F)
- Time: 3 to 5 minutes


PROCESS EXAMPLES:

CLEANING



- Finishing before passivation of medical implants:

CLEANING



BENEFITS:

- No harmful compound
- Perfectly suitable to the medical sector and orthopaedic implants
- Dispersion of contamination
- Excellent emulsifying and solubilization of oily substances
- Perfect degreasing, without residues
- Exceptional rinsability
- Can be used as finishing product
- Leaves a hydrophilic surface and spot-free finishing

05/07/21

STORAGE CONDITIONS:

- Keep the recipient hermetically sealed between 5°C and 40°C (41°F and 104°F) in a dry place.
- Always keep in packaging made from the same material as the original packaging.



If you have any questions, please contact our Application Centre on: +41 22 365 46 66

