



HELIT

Neutral liquid product, for ultrasonic processes, to remove light oils, polishing compounds and finger prints.

COMPATIBILITY:

- Precious metals, precious stones
- Copper alloys
- Aluminium
- Zamak
- Stainless steel
- Titanium

INGREDIENTS:

- Surfactants, solubilizing agents
- Chelating agents
- Product without phosphates

PHYSICAL AND CHEMICAL DATA:

- pH concentrated: 6.9
- pH (1%): 7.2
- Density: 1.036
- Surface tension: 27.9 mN/m

INSTRUCTIONS FOR USE:

Optimum use conditions may be affected by the quality of the water used in the baths, as well as the type and quantity of contaminants.


- Concentration: 3 to 5%
- Temperature: 40 to 70°C (104 to 158°F)
- Time: 2-4 minutes

Tip: prepare baths with hot water (40°C / 104°F) before to add product.

PROCESS EXAMPLE:

- HELIT can be used as a finishing product and ensures shiny, spot-free surfaces

CLEANING



BENEFITS:

- Perfectly suited for watchparts, jewellery, silverware, orthopaedic items
- Disperses contaminants
- Excellent emulsifying and dissolving of greasy substances
- Perfect degreasing of parts and superfinish of surfaces
- Excellent rinsability
- Can be used as a finishing product
- Shiny, spot-free surfaces

STORAGE CONDITIONS:

- Keep the recipient hermetically sealed between 5°C and 40°C (41°F and 104°F) in a dry place.
- Always keep in packaging made from the same material as the original packaging.

23/11/17



If you have any questions, please contact our Application Centre on: +41 22 365 46 66

