



# RUBIFIN N°10

Liquid product used in after-sales service to clean watch movements.

## COMPATIBILITY:

- All metals

## INGREDIENTS:

- Solvents
- Surfactants

## PHYSICAL AND CHEMICAL DATA:

- pH concentrated: NA
- Density: 0.910
- Flash point: 65°C (149°F)
- Surface tension: 26.3 mN/m


## INSTRUCTIONS FOR USE:

- Concentration: 100%
- Temperature: 20 to 55°C (68 à 131°F)
- Time: 3 to 9 minutes (with or without ultrasonics)

## STORAGE CONDITIONS:

- Keep the recipient hermetically sealed between 5°C and 40°C (41°F and 104°F) in a dry place.
- Always keep in packaging made from the same material as the original packaging.

## PROCESS EXAMPLE:



US

Using RUBIFIN N°3 is recommended under ventilation or an aspiration system

## BENEFITS:

- Perfect in after-sales service, to clean watch movements
- Non-flammable, non toxic, environmentally friendly
- Perfectly degreases and removes oils
- Solid residues removal (sandblasting)
- Ensures brightness, lightening and deoxidizing metals, especially copper alloys
- Does not attack shellac
- Effective with or without ultrasonics

28/11/17



If you have any questions, please contact our Application Centre on: +41 22 365 46 66

