



CEROWEG N°2

Concentrated and strong alkaline detergent for ultrasonic cleaning and surface preparation prior to antireflection coating.

COMPATIBILITY:

- All ophthalmic substrates:
Mineral lenses, Polycarbonate, CR39, high index

COMPONENTS:

- Strong alkalis, surfactants
- Chelating agents

PHYSICO-CHEMICAL DATA:

- pH concentrated: 14
- pH (1%): 12.4
- Density: 1.291
- Surface tension: 44.3 mN/m


INSTRUCTIONS FOR USE:

Optimum use conditions may be affected by the quality of the water used in the baths, as well as the type and quantity of contaminants.

- Concentration: 3 to 5%
- Temperature: 40 to 60°C (104 to 140°F)
- Time: 3 minutes

Tip: bath preparation with demineralized water

PROCESS EXAMPLE:



BENEFITS:

- Excellent for preparing of hard coated lenses prior to antireflection coating (T°C < 60°C / 140°F - Conc. 3%)
- Ensures optimum cleaning result due to its surfactants
- Perfect removal of contaminants
- Perfect surface preparation, prior to varnishing
- Finish with Optical 10L for surface activation

20/02/18

STORAGE CONDITIONS:

- Keep the recipient hermetically sealed between 5°C and 40°C (41°F and 104°F) in a dry place.
- Always keep in packaging made from the same material as the original packaging.



If you have any questions, please contact our Application Centre on: +41 22 365 46 66

NGL CLEANING TECHNOLOGY SA - ECOLOGICAL CLEANING SOLUTIONS

Chemin de la Vuarpillière 7 // CH-1260 NYON // SWITZERLAND
+41 22 365 46 66 // contact@ngl-group.com // www.ngl-group.com




**SWISS
QUALITY**

