

# **GALVEX TM**

Universal liquid detergent for the removal of polishing pastes, soluble oils and light pollutions in ultrasonic processes.

# **LUXURY ACCESSORIES RANGE**

FUNCTION	APPLICATION/POLLUTION
Ultrasonic cleaning. Interoperation, finishing, surface preparation. Prevents redeposition of dissolved copper.	Soluble oils, polishing pastes, tumbling residues, etc.

#### **COMPATIBILITY**

- Stainless steel
- Brass (leaded and unleaded)
- Zamak
- Rhodium, palladium

#### ABS

- Nickel silver
- Gold: white, pink, yellow

#### **COMPONENTS**

- Surfactants, chelating agents
- No phosphates

#### PHYSICOCHEMICAL DATA

■ pH concentrated: 9.8

■ Density: 1.05

Surface tension: 28.5 mN/m

# 

#### **INSTRUCTIONS FOR USE\***

■ Concentration: 2 to 5%

Temperature: 50 to 70°C (122 to 158 °F)

■ Time: 3 to 5 minutes

#### **STORAGE CONDITIONS**

- Keep the recipient hermetically sealed between 5°C and 40°C (41°F and 104°F) in a dry place.
- Always keep in packaging made from the same material as the original packaging (HDPE).

### PROCESS EXAMPLE

Preparation prior to PVD

#### **CLEANING**





If you have any questions, please contact our Application Centre on: +41 22 365 46 66







05/10/23

<sup>\*</sup>Dependent on the quality of the water and the nature and quantity of contaminants..