

# **ADDITIF NF 4**

Liquid solvent-based detergent used in ultrasonic cleaning for the removal of marking inks and abrasives from organic glasses or polycarbonates.

# 70

# **OPHTHALMIC OPTICS RANGE**

FUNCTION	APPLICATION/POLLUTION
Ultrasonic cleaning	Marking inks, abrasives

# **COMPATIBILITY**

- Organic glass (low and high index)
- Polycarbonate
- Mineral glass\*

# **COMPONENTS**

- Solvating agent
- Surfactants
- No CMR compounds, REACH compliant

# ULTRASONIC CLEANING Surfactants Solvent Hydroxides OHCavitation bubbles OOO Inks Substrate Parameters for cleaning: To % Time US

# 23/03/23

# PHYSICOCHEMICAL DATA

pH concentrated: 13.7

■ Density: 0.98

Surface tension: 28.3 mN/m

# **INSTRUCTIONS FOR USE\***

• Concentration: 5 to 100%

■ Temperature: 20 to 55°C (68°F to 131°F)

■ Time: 2 to 10 minutes

**Advice**: do not exceed 30°C (86°F) if used at 100%. Work in a well-ventilated area or one equipped with a fume extraction system.

# **STORAGE CONDITIONS**

- Keep the container hermetically sealed between 5°C and 40°C (41°F and 104°F) in a dry place.
- Always keep in packaging made from the same material as the original packaging (HDPE).

# **PROCESS EXAMPLE**

Cleaning of organic glasses or polycarbonates

# **CLEANING**



ADDITIF NF 4
Conc.: 5-20%
+
OPTICAL XII
Conc.: 2-5%
Temp.: 30-55°C
86-131°F
Temps: 2-4 min

RO WATER RINSE

Temp.: 20-30°C 68-86°F Time: 2-3 min DI WATER RINSE

Temp.: 20-30°C 68-86°F Time: 2-3 min DI WATER RINSE

Temp.: 20-30°C 68-86°F Time: 1-2 min HOT AIR DRYING

Application Centre

If you have any questions, please contact our Application Centre on: +41 22 365 46 66







<sup>\*</sup>Please contact NGL before implementing a process.

<sup>\*</sup> Dependent on the quality of water and the nature and quantity of contaminants.