


DECOATING SOLUTIONS HIGH QUALITY, RELIABILITY, EXPERTISE





MADE IN GERMANY

www.ngl-group.com

Tool resharpening or repolishing: giving the tool multiple life cycles

PVD and CVD coatings allow to increase the hardness of cutting tool edges, hence increasing both the lifetime and performance of the cutting tool. But the coating may wear and the tool will need to be resharpened (regrinded) and repolished.

For parts, where the tolerance on the produced parts is strictly controlled, it is essential that the coating is removed without any damage to the substrate (e.g. Cobalt leaching).

PVD coating is very sensitive and many issues can occur in the surface preparation process prior to coating, as well as problems during the coating itself, such as arcs formation or adhesion issues.

An insert or a drill which has coating defects or does not match the required coating specification will be useless and in order to avoid scrapping these costly tools, decoating is the only professional option.

The NGL decoating range allows precise and safe decoating of most coatings on carbide, HSS and most types of tool steel.





THE DECOATING CENTER IN BOCHOLT, GERMANY



Our decoating processes are suited for PVD, CVD and PACVD deposited layers.

NGL develops and provides decoating solutions and services for a wide range of tools, watch parts and objects with different vacuum coatings. Up to 1.5 meter diameter and weights up to 5 to. could be handled in our Decoating Center. Our expertise extends to intricate and long parts, with blind holes and deep cavities.

PARTS TO BE DECOATED : Cutting tools, Molds/dies, PVD chamber parts, PVD planetary and tube holders, CVD graphite and CFC parts, Ceramic components, Decorative parts, Special tools, Watchcases, Recycling materials (carbide scrap).



SOLUTIONS


Decoating: Depending on the substrate, typical coatings, Ti or Si based can be removed easily with our Ferrodec 56, Uniceral 308 or Excarbonite 222.

Cleaning: Our Vacukleen range will offer perfect cleaning results while protecting parts from corrosion or cobalt leaching.



APPLICATIONS

Medical devices Automotive & Aerospace Cutting tools Moulds and Mints



WHY NGL?

Our cleaning and decoating range of products will guarantee perfect surface preparation prior to PVD coating.

With our NGL Academy, you can train your staff and optimize your existing decoating processes.

Technical Data Sheet on a specific material is available at kontakt@ngl-group.com

CARBIDE DECOATING



UNICERAL 308 Acidic liquid product for the decoating of titanium, aluminium or zirconium PVD layers on carbide tools without cobalt leaching.

Benefits: • Ready to use • Optimized protection of carbide substrates • Shiny effect after stripping process No damage to tools edges No cobalt leaching



FERRODEC 56 Powder product for the decoating of titanium and aluminium based layers on steel tools.

> Benefits: Cost-effective Fast decoating • Efficient decoating on Ti, Al and Si based PVD/CVD coatings



CERALTIN 211

Alkaline Liquid product for the decoating of chromium or silicon based layers on carbides.

Benefits: No cobalt leaching Optimized protection of Carbide substrates No crystallization of the bath and no vapor condensate Shiny Effect

STEEL DECOATING



EXCARBONITE 222

Powder alkaline liquid product for the decoating of chromium based layers on steel tools.

> Benefits: • Very efficient on Cr layers • Suitable for all types of Steel • Efficient decoating on DLC(Cr) or DLC(Si) layers

HEADQUARTER AND OUR SUBSIDIARIES AROUND THE WORLD

NGL CLEANING TECHNOLOGY SA (Headquarter)

Chemin de la Vuarpillière 7 CH-1260 NYON contact@ngl-group.com

NGL FRANCE SAS

Parc Aktiland Bât B 1 rue de Lombardie FR-69800 SAINT-PRIEST france@ngl-group.com

NGL NORDIC A/S

Industriskellet 10 DK-2635 ISHØJ nordic@ngl-group.com

NGL AMERICA INC.

747 North Church Road, Suite G-9 ELMHURST, IL 60126, USA usa@ngl-group.com

NGL SHANGHAI

Room 407, Building 3, No.3199 Jinhai Road Fengxian District CN-201406 SHANGHAI shanghai@ngl-group.com

NGL ASIA PACIFIC PTE LTD

28 Kallang Place #05-09 Kallang Basin Industrial Estate SG-339158 SINGAPOUR asiapacific@ngl-group.com





NGL CLEANING GmbH - CHEMICAL & DECOATING TECHNOLOGY Schlavenhorst 15 - DE-46395 BOCHOLT - GERMANY +49 2871 27 411-40 - kontakt@ngl-group.com - www.ngl-group.com



